



TYPICAL DETAIL - RAILING FOR ISLAND HOUSE
SCALE 1:10

- NOTES:
1. NEW STAINLESS STEEL RAILING TO ENGINEER'S SPECIFICATIONS.
 2. SEE SPECIFICATION FOR MASONRY POINTING OF PARAPET ON INSIDE FACE IN NHL 3.5 LIME MORTAR TO SA SPECIFICATION
 3. CAST IN BRACKETS IN CONCRETE AT EVERY OTHER CASTELLATION
 4. HANDRAIL DESIGNED TO BE HINGED FOR MAINTENANCE AND REPAIR



TYPICAL DETAIL - DOMED CAPPING WALL
SCALE 1:10

- KEY:
1. REINFORCED CONCRETE FLOOD WALL TO ENGINEER'S SPECIFICATIONS. FINAL WALL THICKNESS TO BE CONFIRMED IN DETAILED DESIGN
 2. RECLAIMED STONE (WHERE FEASIBLE) FACING IN TO HERITAGE CONSERVATION SPECIFICATIONS.
 3. HALFEN OR SIMILAR CAST IN RESTRAINT CHANNELS
 4. DOMED MORTAR CAPPING AS PER HERITAGE CONSERVATION SPECIFICATIONS



TYPICAL DETAIL - PROPOSED CLADDING FOR MALL ROAD WALL
SCALE 1:10

- KEY:
1. CAPPING TO BE REUSED AND SET WITH SQUARE EDGE ON EXPOSED SIDE
 2. IMPORTED STONE WHERE REQUIRED TO MATCH EXISTING STONE FACING RIVER SIDE (TO HERITAGE CONSERVATION SPECIFICATIONS)
 3. REUSE EXISTING STONE ON DRY / ROAD SIDE
 4. HALFEN OR SIMILAR CAST IN RESTRAINT CHANNELS
 5. REINFORCED CONCRETE FLOOD WALL TO ENGINEER'S SPECIFICATIONS. FINAL WALL THICKNESS TO BE CONFIRMED IN DETAILED DESIGN

© Copyright
This drawing and any design hereon is the copyright of the
Consultants and must not be reproduced without their written
consent.

All drawings remain the property of the Consultants.

© National Mapping Division Of Tailte Éireann
All Rights Reserved. Licence No. CYAL50380258

Rev	Suit	Description	Drawn	Chkd	Date
C01	A1	PLANNING APPLICATION SUBMISSION	WS	RK	18/11/2024

Client:

Clients Representative:

Egis Engineering Ireland Ltd.
Classton House, Dundrum Business Park, Dundrum Road, Dublin 14
www.egis-group.com

JBA Consulting Engineers and Scientists Limited
24 Grove Island, Corbally, Limerick
www.jbaconsulting.ie

Project
**CASTLECONNELL
FLOOD RELIEF SCHEME**

Drawing Title
**TYPICAL DETAILS
SHEET 3**

Drawn by :	WS	Date :	18/11/2024
Checked by :	RK	Date :	18/11/2024
Approved by :	RK	Date :	18/11/2024
Internal Project REF :	EGIS: 19104 JBA: 2019a0927		
Scales :	AS SHOWN		
Stage :	PLANNING		
Drawing No. :	Revision	Suitability Code	
19104-JBB-XX-XX-DR-C-02152	C01	A1	